



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/623,960	07/17/2003	David F. Arlasky	7444 (284*3)	6054

7590 03/19/2007
Faier and Faier, P.C.
566 West Adams Street
Chicago, IL 60661

EXAMINER

SAN MARTIN, EDGARDO

ART UNIT	PAPER NUMBER
----------	--------------

2837

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
3 MONTHS	03/19/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

Office Action Summary	Application No. 10/623,960	Applicant(s) ARLASKY, DAVID F.	
	Examiner Edgardo San Martin	Art Unit 2837	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 07 February 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 43,45-47,49,51,52,55,56,59 and 61-66 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 43,45-47,49,51,52,55,56,59 and 61-66 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date <u>2/7/07</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

EXAMINER'S AMENDMENT

1. The application has been amended as follows:
 - In claim 65, please replace the claim identifier from "(Currently Amended)" to - - (Previously Presented) - -;
 - In claim 66, please replace the claim identifier from "(Previously Presented)" to - - (Currently Amended) - -.

Continued Examination Under 37 CFR 1.114

2. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on February 7, 2007 has been entered.

Specification

3. The disclosure is objected to because of the following informalities:
 - The amendment filed on May 23, 2006 add a new paragraph to the specification that will provide the specification with 2 paragraphs [0019];

Art Unit: 2837

- The amendment filed on May 23, 2006 is objected to under 35 U.S.C. 132(a) because it introduces new matter into the disclosure. 35 U.S.C. 132(a) states that no amendment shall introduce new matter into the disclosure of the invention. The added material which is not supported by the original disclosure is as follows: the original disclosure does not provide for the specific dimensions and dimensions relations between elements recited in new paragraph [0019], the disclosure is silent as to the filed drawings were made to scale.

Applicant is required to cancel the new matter in the reply to this Office Action.

Appropriate correction is required.

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

4. Claims 43, 45 – 47, 49, 51, 53, 55, 56, 59 and 61 – 66 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Claims 62, 63 and 66 contain subject matter describing specific dimensions

and dimensions relationships between elements that are not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor, at the time the application was filed, had possession of the claimed invention.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which the subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 43, 45 – 47, 49, 51, 52, 55, 56, 59 and 61 – 66 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nakamura (JP 04081507) in view of Weiss (US 4,263,981), and further in view of Ross (US 2,076,827).

With respect to claims 55, 62, 63 and 66, Nakamura teaches a muffler comprising a shell (Fig.3, Item 23) with an expansion chamber tube (Fig.3, Items 32 and 34) coaxially attached to the shell such that an interior of the shell and an exterior of the expansion chamber tube form a sound suppression sleeve containing sound suppression material (Fig.3, Items 33 and 37), wherein an interior of the expansion chamber tube forms an expansion chamber (Fig.3, Item a), the expansion chamber tube is perforated with apertures (Fig.3, Items 31 and 35), such that the expansion chamber is in communication with the materials in the sound suppression sleeve, an inlet tube (Fig.3, Item 39) is attached to an inlet (Fig.3, Item 25) of the shell such that an inlet tube interior is in communication with the expansion chamber and a guide vane (Fig.3, Item

38) for generating a vortex flow which induce passage of exhaust gases through the expansion chamber to exit through the outlet (Fig.3. Item 27) (Fig.3, Abstract), but fails to disclose wherein the expansion chamber tube is perforated with apertures to achieve specifically about 40-80% porosity, and a rotatable propeller is attached to the muffler such that the propeller is capable of rotation when exhaust gas passes from the inlet tube into the expansion chamber, and wherein the propeller spins the exhaust gas to facilitate its passage through the expansion chamber, and through an outlet in the shell; and wherein the diameter of the chamber being not more than about 2.2 times the diameter of the inlet tube and the combine interior diameter dimensions of the inlet tube and the chamber are less than about a third of the length of the chamber.

Nevertheless, Weiss teaches an expansion chamber tube being perforated with apertures to achieve about 40-80% porosity (Col.3, Line 55 – Col.4, Line 10).

On the other hand, Ross teaches a muffler comprising a passage tube including a rotatable propeller (Fig.1, Item 14) being attached to the muffler such that the propeller is capable of rotation when exhaust gas passes from the inlet tube (Fig.1, Item 11) into the passage tube, and wherein the propeller spins the exhaust gas to facilitate its passage through the expansion chamber, and through an outlet (Fig.1, Item 12) in the passage tube; wherein the gases freely exit the outlet tube without back pressure on the engine (Page 2, Lines 1 - 5). The Examiner considers that the mere simplification of the Ross configuration is a design choice that any person with ordinary skill in the art should be able to perform without departing from the scope and spirit of the invention; furthermore, it has been held that omission of an element and its function in a

combination where the remaining elements perform the same function as before involves only routine skill in the art. In re Karlson, 136 USPQ 184.

Furthermore, the Examiner considers that it would have been an obvious matter of design choice to provide the Nakamura, Weiss and Ross design with dimensions providing a diameter of the chamber being not more than about 2.2 times the diameter of the inlet tube and the combine interior diameter dimensions of the inlet tube and the chamber are less than about a third of the length of the chamber, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or working ranges involves only routine skill in the art. In re Aller, 105 USPQ 233; in addition, it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art. In re Boesch, 617 F.2d 272, 205 USPQ 215 (CCPA 1980).

It would have been obvious to a person with ordinary skill in the art at the time of the invention was made to place the Ross rotatable propeller in the inlet tube of the Nakamura expansion chamber, and to provide a 40-80% porosity in the tube as disclosed by the Weiss design because the complete combination would provide a muffler structure that would effectively suppress noise while increase the performance and efficiency of an engine, increasing the engine power and saving the fuel of an vehicle by eliminating back pressure effect.

With respect to claim 43, Ross teaches (regarding claim 44) wherein the propeller (Fig.1, Item 14) is mounted on a shoulder screw (Fig.1, Item 20) that is rotatably mounted in a bearing (Fig.1, Item 21). Regarding claim 43, the Examiner

Art Unit: 2837

considers that it would have been obvious to one of ordinary skill in the art at the time the invention was made to mount the propeller on a bearing that is rotatably mounted on a shoulder screw, since it has been held that rearranging parts of an invention involves only routine skill in the art. In re Japikse, 86 USPQ 70; and since it has been held that a mere reversal of the essential working parts of a device involves only routine skill in the art. In re Einstein, 8 USPQ 167. In addition, the Examiner considers that it would have been obvious to one having ordinary skill in the art at the time the invention was made to employ a Teflon-filled bronze bearing, since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice. In re Leshin, 125 USPQ 416.

With respect to claims 45, 46 and 59, Weiss et al. teach wherein the expansion tube has between about 75% to about 90% greater flow cross-sectional area than the inlet tube.

With respect to claim 47, Ross teaches the rotatable propeller type blade assembly comprising at least two blades (Fig.1).

With respect to claims 49, 56 and 65, Ross teaches the rotatable propeller's blades (Fig.1, Item 14) having a degree of inclination of the blade with respect to the path of flow (Page 1, Line 38+). In addition, it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or working ranges involves only routine skill in the art. In re Aller, 105 USPQ 233.

With respect to claim 51, the Examiner takes Official Notice that it is well known in the art of acoustics to employ fiberglass, glass wool, copper wool, copper strands,

steel wool and a combination of the mentioned materials as sound suppressing materials. These materials could withstand high temperatures while exhibiting good sound suppressing characteristics.

With respect to claim 52, Nakamura teaches wherein the exhaust chamber system is joined directly to an internal combustion engine, or wherein the exhaust chamber system is joined indirectly to an internal combustion engine (Fig.1).

With respect to claims 61 and 64, Nakamura and Ross teach wherein the rotation of the rotatable propeller forces the exhaust gases into a tightly spun vortex as the exhaust gases expand in the expansion chamber creating a vacuum to draw additional exhaust gases from the internal combustion engine (Nakamura: Fig.3, Abstract; Ross: Fig.1, Page 1, Line 38 – Page2, Line 5).

Response to Arguments

6. Applicant's arguments filed on February 7, 2007 have been fully considered but they are not persuasive. The Examiner still considers that the obvious combination of the patents Nakamura, Weiss and Ross teach the limitations described in the claims as discussed above.

Regarding the New Matter presence, the originally filed Specification does not established that the drawings are presented to scale, so it is not inherent in the drawings the new limitations presented by the amendment filed on May 23, 2006.

As discussed above, the Examiner considers that the mere simplification of the Ross configuration, by establishing the use of a single propeller, is a design choice that

Art Unit: 2837

any person with ordinary skill in the art should be able to perform without departing from the scope and spirit of the invention; furthermore, it has been held that omission of an element and its function in a combination where the remaining elements perform the same function as before involves only routine skill in the art. In re Karlson, 136 USPQ 184.

Although the patents to Nakamura, Weiss and Ross were designed to solve a very particular problem, all of them fall within the same acoustical application, and since it has been held that a recitation with respect to the manner in which a claimed apparatus is intended to be employed does not differentiate the claimed apparatus from a prior art apparatus satisfying the claimed structural limitations. Ex Parte Masham, 2 USPQ F.2d 1647 (1987), the Examiner still considers that the obvious combination of the patents Nakamura, Weiss and Ross teach the limitations described in the claims.


Contact Information

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Edgardo San Martin whose telephone number is (571)272-2074. The examiner can normally be reached on 8:00AM - 5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lincoln Donovan can be reached on (571) 272-2800 ext.37. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2837

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

A handwritten signature in black ink, appearing to read "Edgardo San Martín".

Edgardo San Martín
Primary Examiner
Art Unit 2837
Class 181
March 15, 2007